



## **IDENTIFICATION**

Primary Type ...... Center Console / Cabin Manufacturer Country.....USA Major Revision Year .....N/A Introduction Year 2022 Parent Company ......Mystique Boatworks

#### **TECHNICAL SPECIFICATIONS**

Length ......48' 6" Beam ...... 14' 3" Draft, drive up ......30" Draft, drive down ......51" Deadrise ......19° (variable) Transom Height \_\_\_\_\_26 Dry Weight ......30,000 lbs Weight (50% load) .......35,000 lbs Fuel Capacity......775 gal Recommended HP min. ......1,800 hp Recommended HP max.....2,400 hp Fresh Water Holding Tanks .....1 Fresh Water Tank Capacity ......75 gal Waste Water Tank Capacity ......... 30 gal Hot Water Tank Capacity ......10 gal Diesel Tank Capacity ......30 gal

## **ENGINES**

Engine Type	Engine Manufacturer	. Mercury V12 Verado <sup>1</sup>
Engine Stroke	Engine Type	. Outboard
Horsepower (bhp)	Cylinders	. V12
StarterElectric Fuel TypeGas Full Throttle RPM Range, low5,600 Full Throttle RPM Range, high6,400		
Fuel Type	Horsepower (bhp)	. 600 hp x 4
Full Throttle RPM Range, <i>low</i> 5,600 Full Throttle RPM Range, <i>high</i> 6,400	Starter	. Electric
Full Throttle RPM Range, <i>high</i> 6,400	Fuel Type	. Gas
	Full Throttle RPM Range, low	5,600
Engine Dry Weight 1325 lbs (eggh)		
	Engine Dry Weight	
Number of Engines3 Standard / 4 Optional	Number of Engines	. 3 Standard / 4 Optional

## INSTRUMENTATION

Tachometer	Standard
Compass <sup>2</sup>	Standard
Trim Indicate	orStandard

## **DRIVE LINE**

Propulsion	
Gear Ratio	.2.5:1 (2nd Gear)
Trim System Type	.Power
Twin Propeller	.Yes
Counter Rotating Capable	.Yes

## **STEERING**

Steering Assist System	Yes
Auto Pilot	Yes
Bow Thruster <sup>3</sup>	Optional
Joy Stick Docking System <sup>4</sup>	Standard

## **EXTERIOR**

Hull Material	Fiberglass
Hot Water	Yes
Water Type	Fresh Water
Boarding Ladder	Optional
Aft Sunshade	Optional
Forward Sunshade	Optional
Anchor	Standard
Bilge System Type	
Power Windlass <sup>5</sup>	Standard

## AIR CONDITIONING AND HEATER

Air Conditioning Cabin <sup>®</sup>	Standard
Air Conditioning Helm <sup>6</sup>	Optional
Cockpit Heater	Optional
Cabin Heater	Standard





## **FISHING**

Fishing Rod Holders	Standard
Total Baitwell Capacity	80 gal
Baitwell Pump	Yes
Total Fish Box Capacity	1.600 at

## TOPSIDE / CABIN

TOTOLOGICAL TOTAL	
Helm Seating Configuration	Triple Captain's Chairs
	by Release Marine
Number of Helm Seats	6
Helm Roof Type	Full Hard Top
Cockpit Flooring Type	Fiberglass
Cockpit Sink	Optional
Cockpit Grille	Optional
Number of Open Bow Seats	6
Cabin	Standard
Number of Sofas	1
Number of Full Beds	1
Total Sleeping Capacity	2
Galley Table Configuration	
Galley Electric Cooktop	Standard
Microwave / Convection Oven	Standard
Galley Refrigerator	Standard
Sun Pad / Lounger	Standard
Head Type	Vacuum Flush
Full Head	Yes
Head Location	Cabin
Shower	Standard

# SYSTEMS AND ACCESSORIES

Generator/Type <sup>7</sup>	Standard / Diesel
Gyro <sup>8</sup>	Optional
Ice Maker <sup>9</sup>	Optional
Night Vision System	Optional
Tower	Optional
Additional Rod Holders	Optional
Underwater Lights <sup>10</sup>	Optional
Light Bar <sup>11</sup>	
Underdeck Lighting <sup>12</sup>	Optional
Cabin Refrigerator <sup>13</sup>	Standard
Helm Refrigerator <sup>14</sup>	Optional
Helm Freezer <sup>15</sup>	
Engine Flush System <sup>16</sup>	
Aft Facing Camera <sup>17</sup>	Optional
Dome Lights <sup>18</sup>	Stanard
Satellite Internet <sup>19</sup>	Optional
Tabbing System <sup>20</sup>	Standard

## **ELECTRONICS**

Screens	
Garmin 8622 22" HD	
Touchscreen (3) <sup>21</sup>	Optional
Garmin 8412 12" HD (1)22	Optional
· ·	'
Dardary	
Radar	
Garmin 424 XDH3 Open Array	0.54:5.55
Radar Pedestal <sup>23</sup>	
Garmin 424 (4ft) Radar Array	Optional
VHF and Antennae	
Garmin 215 VHF/AIS Radio (2) <sup>24</sup>	Optional
Shakespeare Phase 3	
VHF Antenna (2)	Optional
<b>-</b>	·
Transducer	
Airmar B175L 20° Tilt, Bronze (1) <sup>25</sup>	Optional
Airmar B175H 20° Tilt, Bronze (1) <sup>25</sup>	Optional
XM Radio	
Garmin GXM 54 Weather/	
XM Radio <sup>26</sup>	Optional
Stereo/TV Entertainment	
Garmin Fusion Apollo MS-RA 770	
Marine Stereo	Optional
Garmin Fusion Apollo Marine	·
Amplifier, 2400w, 8-channel	Optional
Garmin Signature Series 8.8"	'
330w Speakers (2 pairs)	Optional
Garmin Signature Series 6.5"	'
230w Speakers (3 pairs)	Optional
Garmin Signature Series 10"	'
60w Sub-woofers (1 pair)	
00W 30D WOOTERS (TDOIL)	Optional
* • *	
Samsung 40" HD TV	Optional
* • *	Optional
Samsung 40" HD TVStarlink Internet	Optional Optional
Samsung 40" HD TV	Optional Optional
Samsung 40" HD TV Starlink Internet	Optional Optional
Samsung 40" HD TV	Optional Optional enience Standard
Samsung 40" HD TVStarlink Internet	Optional Optional enience Standard
Samsung 40" HD TVStarlink Internet	Optional Optional enience Standard Standard
Samsung 40" HD TVStarlink Internet	Optional Optional enience Standard Standard





- 1 7.6 L, V12 600 HP Verado outboards, 27.5" pitched prop. Mercury Sky-Hook digital anchor locks boat's position.
- 2 Richie HF743 helmsman flush compass. 3-3/4" open face combo-dial with built-in green night illumination, movable sun shield.
- 3 Sleipner (side-power) SEP 150 24V variable speed bow thruster, integrated with Mercury joystick for ease-of-docking. Most powerful thruster available in the 215mm tunnel diameter, with 150kg-182kg thrust.
- 4 Mercury joystick integrates (4) Mercury Verado outboards with bow thruster to simplify the docking process.
- 5 EZ Anchor (EZ-6) windlass, 316 stainless steel drum, max pulling load 2000 pounds, with wireless remote. 12v, 1500w permanent magnet electric motor. 600 feet of 5/8" 8-strand nylon with 20' 5/16" galvanized chain.
- 6 Air-conditioners: DTG16 dometic turbo, 16,000 BTUs each (2 units @ 32,000 BTUs total). Self-contained AC unit, water-cooled.
- 7 9KW Onan Generator. Model 9MDLDL\_IP, 3-cylinder, 4-cycle, IDI water-cooled Kubota marine diesel.
- 8 Seakeeper 6. Eliminate up to 95% of boat roll (vessels up to 48,000lbs, 44'-52') and provide 6,000 N-M-S of stabilizing power.
- 9 Dometic Eskimo El540 ice maker. Produces up to 540lbs of fish box ice per day. Smart Logic digital control monitors all system functions.
- 10 Shadow-Caster. SCR-24-CC-BZ-10. Full-color RGB changing light, 24 LEDs, bronze housing. Up to 10,000 lumens, each. 5 lights.
- 11 Rigid Light Bar, 54", Curved. Over 28,000 lumens.
- 12 Shadow-Caster, SCM-AL-NEON & SCM-AL-MINI-NEON. Full-color RGB accent light strips. 120-degree beam angle.
- 13 Cabin: Isotherm Drawer 130 (DR130) stainless steel refrigerator with freezer compartment. Internal volume of 130L with a bottle rack and patented modular shelves. Two inner drawers.
- 14 Isotherm Drawer 70 (DR70) stainless steel refrigerator. The premium front-opened drawer solution with stainless steel door. 5 blue LED lights and internal baskets to proivde great comfort in use.
- 15 Isotherm Drawer 70 (DR70) stainless steel freezer. The premium front-opened drawer solution with stainless steel door. 5 blue LED lights and internal baskets, to provide great comfort in use.
- 16 Reverso patented automatic outboard flushing system. Simple as attaching a garden hose, pressing one button, and allowing the system to cycle through each of the four engines in sequence, 15 minutes per.
- 17 Garmin GC 200 Marine IP Camera. HD resolution images can rotate 90/180/270 degrees.
- 18 Six (6) dome lights, one (1) map light. Shadow-Caster SCM-DLX, 300 lumens output (each), with 120-degree beam angle. Flush
- 19 StarLink, Global maritime coverage for boats of all sizes with up to 220Mbps download while at sea.
- 20 Zip Wake System: Series S, with four (4) inceptors. This dynamic trim control system brings together a family of durable, fast-acting interceptors and intuitive 3D controls to put you in command of running trim, heel, and heading. The system is fully automatic. For boats up to 50'.

#### **ELECTRONICS**

- 21 Garmin 8622 MFD chartplotter with a 22-inch full HD touchscreen display. Highest resolution on the marine market. One-touch setting access for docking, cruising, fishing, and anchoring.
- 22 Aft-facing, top mounted, Garmin 8412 MFD with a 12-inch full HD display.
- 23 GMR xHD3 radar series, open array radar and pedestal, 4kW
- 24 VHF 215 Garmin AIS (automatic identification system) marine radio (qty. 2)
- 25 Airmar B175L transducer / Airmar B175H transducer. EACH 1kW high-performance low CHIRP with 20-degree tilt, bronze thru-hull
- 26 Head out with detailed weather information delivered straight to your Garmin chartplotter.
  Includes weather conditions, forecasts, NEXRAD, lighting, wind, and wave information, as well as over 150 channels of Sirius XM satellite radio. Includes fish-mapping feature which suggests potential hot spots for popular species, sea surface temperatures, plankton concentrations, floating algae, and more.





